













Select lower settings to correct performance problems at low baud rates. Select higher settings for faster performance. Receive (Bytes): Transmit (Bytes): BM Options Select lower settings to correct response problems. Latency Timer (msec): In the second of the	vanced Settings for COM40			?
Select higher settings for faster performance. Receive (Bytes): Transmit (Bytes): BM Options Select lower settings to correct response problems. Latency Timer (msec): Timeouts Minimum Read Timeout (msec): Default: Miscellaneous Options Serial Enumerator Serial Printer Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	USB Transfer Sizes	w baud rates.		Cancel
Transmit (Bytes): BM Options Select lower settings to correct response problems. Latency Timer (msec): Timeouts Miscellaneous Options Serial Enumerator Serial Printer Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup				Defaults
BM Options Select lower settings to correct response problems. Latency Timer (msec): Timeouts Miscellaneous Options Serial Enumerator Serial Printer Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	Receive (Bytes): 4096			
Select lower settings to correct response problems. Latency Timer (msec): Timeouts Minimum Read Timeout (msec): Serial Enumerator Serial Printer Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	Transmit (Bytes):			
Latency Timer (msec): Serial Printer Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	BM Options	Miscellaneous Options		
Latency Timer (msec): Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	Select lower settings to correct response problems.	Serial Enumerator	┍	
Cancel If Power Off Event On Surprise Removal Set RTS On Close Disable Modem Ctrl At Startup	Latency Timer (msec): 16 ▼	Serial Printer		
Minimum Read Timeout (msec): Set RTS On Close Disable Modem Ctrl At Startup		Cancel If Power Off		
Minimum Read Timeout (msec): Disable Modem Ctrl At Startup	Timeouts	Event On Surprise Removal		
Disable Modern Ctri At Startup		Set RTS On Close		
Minimum Write Timeeut (mane):	Minimum Read Timeout (msec): 0 ▼	Disable Modem Ctrl At Startup		
Willimum vvnte Timeout (msec).	Minimum Write Timeout (msec): 0 ▼			





